

FLOOR CARE GUIDE

HARO®
Quality Flooring





QUICK, EASY AND NATURAL: THE MODERN WAY TO CARE FOR YOUR FLOOR.

Taking good care of your floor is really easy!

Taking good care of your floor maintains its value and beauty, but is also important to ensure correct care and to fulfill warranty requirements. Perfect floor care today is not rocket science:

This is especially true for HARO floor coverings, which are very fast, simple and easy to maintain thanks to their high-quality surfaces.

Dry cleaning with a broom, dust mop or vacuum cleaner is generally all you need to do.

To remove ingrained dirt or to provide added surface protection, simply give your floor covering a damp wipe with the recommended cleaning agent. Done!

To maintain the floor's quality and appearance, we recommend using felt or Teflon gliders on furniture, polycarbonate mats for chair castors and office roller chairs as well as doormats at entrances. A constant room temperature is also important – not only for your personal well-being, but also for your floor:

20°C (68°F) at a relative air humidity of 30 to

60 percent is ideal for wood floors. Optimal maintenance of the floor right from the start is, of course, just as important. Especially if you have a high-quality floor covering like parquet, laminate floor or cork, you should rely on technically harmonized care and cleaning products from floor specialists like HARO.

The level of care required for floor coverings in commercial applications depends on the wear and tear they are exposed to. The specific conditions on site should be determined in consultation with the installer or HARO dealer.



PERFECT CARE FOR ALL FLOOR TYPES



clean2green

Intensive Cleaner
'active'



clean2green

Parquet Cleaner
'natural'

Page	HARO product name	Common name	Intensive Cleaner 'active'	Parquet Cleaner 'natural'
12	Parquet floor permaDur	Varnished parquet surfaces	Basic cleaning	Regular cleaning
14	Parquet floor bioTec	UV oiled parquet surfaces	Basic cleaning	Regular cleaning
16	Parquet floor naturaLin <i>plus</i>	Ready oiled parquet surfaces with natural oil	Basic cleaning	Regular cleaning
18	Parquet floor naturaDur	Natural matt surface finish	Basic cleaning	Regular cleaning
20	parkettmanufaktur by HARO	Oiled parquet surfaces with natural oil	Basic cleaning	Regular cleaning
22	Spa parquet		Basic cleaning	Regular cleaning
24	CELENIO by HARO		Basic cleaning	Regular cleaning
26	Laminate flooring		Regular cleaning	
28	DISANO by HARO		Basic cleaning	Regular cleaning
	Cork Floor permaDur	Varnished cork surfaces	Basic cleaning	Regular cleaning



clean2green
Parquet care
aqua oil



clean2green
Floor care
aqua shield



HARO
naturalin Oil



HARO
Oil Balm

	Visual ¹ refurbishing Increased durability
Intensive care ¹ (without a polishing machine)	
Intensive care ^{1/2} (without a polishing machine)	
	Visual ¹ refurbishing Increased durability
Initial care, intensive care ¹ (without a polishing machine)	
Initial care, intensive care ¹ (without a polishing machine)	
	Visual ¹ refurbishing Increased durability
	Visual ¹ refurbishing Increased durability
	Visual ¹ refurbishing Increased durability
	Visual ¹ refurbishing Increased durability

	Intensive care (with a floor polishing machine carried out with professional assistance)
Intensive care (with a floor polishing machine carried out with professional assistance ^{1,2})	
Initial care, intensive care ¹ (with a floor polishing machine carried out with professional assistance)	

¹ Changes in gloss may result

² To ensure your naturalin plus surface maintains its quality and beauty, initial treatment with aqua oil or alternatively with naturalin Oil can be carried out additionally with professional assistance.

clean & green

EASY, NATURAL FLOOR CARE – THE PRODUCTS

The revolution in natural floor care

clean & green, the floor care series for quick, easy, effective and ecological cleaning and maintenance. Our decades of experience with different floor types has been seamlessly integrated into the development of clean & green products.

Only two products to clean and maintain all surfaces.

The beauty treatment for oiled, varnished and coated surfaces



Intensive cleaner active



Parquet cleaner natural



Parquet care aqua oil



Intensive cleaner active

for laminate floor, DISANO design floor, and parquet basic cleaning

Parquet cleaner natural

for all types of natural floors

Parquet care aqua oil

Initial treatment and regular care for oiled surfaces

	Intensive cleaner active for laminate floor, DISANO design floor, and parquet basic cleaning	Parquet cleaner natural for all types of natural floors	Parquet care aqua oil Initial treatment and regular care for oiled surfaces
Laminate floor	Regular cleaning		
PVC/synthetic floor	Regular cleaning		
Vinyl floor	Regular cleaning		
Glazed/unglazed tiles	Regular cleaning		
Fine stoneware	Regular cleaning		
DISANO design floor	Basic cleaning	Regular cleaning	
Parquet floor (varnished)	Basic cleaning	Regular cleaning	
Cork floor (varnished)	Basic cleaning	Regular cleaning	
Linoleum floor	Basic cleaning	Regular cleaning	
CELENIO wood tile	Basic cleaning	Regular cleaning	
Open-pore stone floor	Basic cleaning	Regular cleaning	
Parquet floor (oiled)	Basic cleaning	Regular cleaning	Intensive care ¹
Parquet floor (naturaDur)	Basic cleaning	Regular cleaning	
Cork floor (oiled)	Basic cleaning	Regular cleaning	Intensive care ¹
HARO Spa Parquet	Basic cleaning	Regular cleaning	Initial care, intensive care ¹



clean & green®

Quick, easy, natural maintenance for all floors



Floor care
aqua shield

Floor care
aqua shield
For sealed parquet floors
and coated surfaces

Visual refresh ¹

Visual refresh ¹

Visual refresh ¹

Visual refresh ¹

Visual refresh ¹

Visual refresh ¹

Visual refresh ¹

Visual refresh ¹

Only two products to clean all floors!

The clean & green products "active" and "natural" are designed especially for the requirements of modern, sustainably-minded households. They offer many advantages by being easy to use, environmentally friendly and very economical and efficient. Each bottle is good for 40 applications!

The clean & green care series is not only suitable for HARO floors, but for all kinds of floors. All clean & green products are kind to the environment. Your floor can tell this by the valuable ingredients and you can

tell it by the European Flower eco label ²: The European eco label is the internationally recognised seal of approval that is awarded to products and services that are especially environmentally friendly and meet high health standards.

clean & green®

- **FAST AND EASY TO APPLY**
- **ENVIRONMENTALLY FRIENDLY ECO QUALITY**
- **VERY EFFICIENT AND COST SAVING**

Intensive Cleaner 'active' for basic cleaning

Depending on the level of use and how dirty the floor is, your floor will need a deep clean from time to time. Heel streaks or grease stains can also be easily removed with clean & green active. Simply add 1/2 a dose of clean & green to 5 litres (1.3 gal.) of cold water. Dip the mop in the cleaning solution, wring it out thoroughly and wipe the surface with the damp cloth.

Parquet cleaner 'active' for regular cleaning and care

Add 1/2 dose of clean & green to 5 litres (1.3 gal.) of cold water. Dip the mop head in the cleaning solution, wring it out well and wipe the surface with the damp mop. Always avoid letting water stand on the floor surface. By subsequently buffing with a polishing cloth, you can optimise the shine on your floor surface. To care for your floor with clean & green active or natural, we recommend using the HARO flat-head floor cleaner.

¹ Changes in gloss may result

² EU eco label for clean & green natural, active and aqua oil

clean & green

SIMPLE AND NATURAL FLOOR CARE

AQUA OIL



aqua oil – easy intensive care for oiled parquet surfaces and for the initial treatment of parquet in the bathroom.

With aqua oil, oiled parquet floors are now easier than ever to maintain so that anyone can do it – without a floor polishing machine or professional assistance.

The natural oil is based on raw materials like linseed oil and is 100% solvent-free.

OUR ADVICE:

We recommend using aqua oil black for refreshing/touching up oiled black parquet exposed to high wear and tear. For white oiled parquet, we recommend aqua oil white.



aqua oil parquet care

Application for oiled parquet surfaces

Before the application of aqua oil, clean the floor thoroughly (best using clean & green active) and make sure it is dust-free. Apply aqua oil with the "Wischwiesel" flat wet-mop. Please shake aqua shield well before use and pour it into a suitable bucket. Apply the undiluted aqua oil with the "Wischwiesel" flat wet-mop. Always go with the direction of the wood grain and work in parallel overlapping passes. The floor can be walked on again after about two hours.

Application for parquet floors in the bathroom (HARO SPA Parquet):

For fabulous results and special protection of parquet in the bathroom, a double application of aqua oil is required. Follow the same application directions used for oiled parquet surfaces. The second application should be done after about two hours. When you are finished, the floor can be walked on again after two more hours.

OUR ADVICE:

Intensive care of heavy brushed oiled parquet is just as easy as maintaining any other oiled parquet floor. You simply need to replace the "Wischwiesel" mop head with the deep pile mop head, which allows the oil to be applied deep into the texture.

clean & green

EASY, NATURAL FLOOR CARE – AQUA SHIELD



aqua shield – the beauty treatment for varnished and coated surfaces.

clean & green aqua shield thoroughly refreshes sealed parquet floors and coated floor surfaces such as laminate and design floors. Signs of wear and tear and small scratches can be eliminated by treating the floor with aqua shield.

clean & green aqua shield gives the floor a new brilliance, makes it more robust and protects the surface from damaging moisture.



aqua shield floor care
for sealed parquet floors
and coated surfaces

Application



As with the entire clean & green care series, aqua shield is quick and easy to apply. First, conduct a deep cleaning of the surface and use a broom or vacuum cleaner to remove dust from the floor. The best way to remove dirt particles is by using clean & green active. Once the floor is completely dry, apply aqua shield undiluted with the “Wischwiesel” flat wet-mop. Please shake aqua shield well before use and pour it into a suitable bucket. When applying aqua shield, always go with the direction of the wood grain and work in parallel overlapping passes. One application is all that’s needed! The floor can already be walked on again after about two hours.

HARO SPECIAL CARE PRODUCTS FOR PERFECT CARE OF OILED PARQUET FLOORS

naturaLin^{plus}
NATURAL OIL FINISH

HARO naturaLin Oil for parquet floors with naturaLin *plus* natural oil surface

Additional initial treatment and intensive care with a floor polishing machine carried out with professional assistance.

The oil is absorbed thoroughly into the wood pores and deeply impregnates the floor, giving it a unique natural look.

This is how HARO naturaLin Oil is applied

Following installation of your parquet floor with naturaLin *plus* natural oil finish, initial treatment with naturaLin Oil is recommended. naturaLin Oil is a care finish that forms an additional film and thus provides the basis for regular cleaning and care.

Apply the oil thinly and evenly with a spray bottle and then using a floor polishing machine (at least 30 kg) and a beige superpad, buff the surface in sections. The drying time is approx. 1 day.



HARO SPECIAL CARE PRODUCTS FOR PARQUET FLOORS WITH OIL/WAX SURFACE

bioTec
OIL/WAX FINISH

HARO Oil Balm for parquet floors with bioTec oil/wax finish

HARO Oil Balm is a specially formulated floor care product for repair work and for the intensive care of bioTec oil/wax-finished parquet in demanding applications. HARO Oil Balm is also suitable for the surface treatment of sanded, unfinished parquet.

This is how HARO Oil Balm is applied

Mix HARO Oil Balm well and pour it into a suitable spray bottle.

Spray the Oil Balm thinly onto patches of the parquet floor (approx. 7 ml/m²), spread it evenly, and rub it in by means of a floor polishing machine and a white pad.

In the areas around the corners, the oil balm should be applied with a HARO cloth.

Allow the treated parquet to dry for at least 8-10 hours.

Once dry, you can buff the entire surface with a HARO Polishing Cloth.

Wait 24 hours before subjecting the floor to light traffic and loads, and 3 days before full use of the floor surface.

Thereafter, regular maintenance should be conducted with the “clean & green natural” parquet cleaner, by using a well-wrung damp mop or cloth to clean and care for the parquet surface.



OUR ADVICE:

Use Oil Balm White for repair work as well as intensive care of parquet flooring with a white bioTec finish.

CARE OF HARO PARQUET WITH PERMA DUR FINISH



The natural matt finish

The permaDur finish gives your HARO Parquet a natural matt surface and makes your floor very durable and easy to maintain.

Basic cleaning

To remove ingrained dirt, add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Regular cleaning

For added protection of the floor surface, damp-mop the floor regularly with clean & green natural parquet cleaner depending on how dirty the floor is and the amount of wear and tear. For this, add 1/2 dose of clean & green natural parquet cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Intensive care

To optically refresh the floor, improve durability and moisture protection for sealed and coated surfaces, we recommend the floor care clean & green aqua shield. Apply undiluted with the "Wischwiesel" flat wet-mop. Evenly apply the clean & green aqua shield in overlapping lines with the Wischwiesel ¹.

For details see page 9



¹ Changes in gloss level may occur

CARE OF HARO PARQUET WITH BIOTEC OIL/WAX FINISH



Natural look and easy care

The bioTec oil/wax finish is the perfect natural surface protection that shows off all the natural beauty of the floor – and it involves only little effort for maintenance.

Basic cleaning

Add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Regular cleaning

Damp-mop the floor regularly with clean & green natural parquet cleaner depending on how dirty the floor is and the amount of wear and tear. For this, add 1/2 dose of clean & green natural parquet cleaner to 5 litres (1.3 gal.) of cold water.

Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Intensive care without using a floor polishing machine

To refresh the surface finish of oiled surfaces exposed to wear and tear, use clean & green aqua oil: Apply the undiluted aqua oil evenly with the "Wischwiesel" flat wet-mop. Always go with the direction of the wood grain and work in parallel overlapping passes.

Application recommended once a year or when the surface shows signs of wear and tear¹.

For details see page 8



Intensive care by using a floor polishing machine

Intensive care with application of the Oil Balm carried out with professional assistance. As an alternative to treatment using clean & green aqua oil, intensive care can, if desired, also be carried out with professional assistance.

For details see page 11



¹ Changes in gloss level may occur

CARE OF HARO PARQUET

NATURA LIN *PLUS* NATURAL OIL FINISH



The "breathing" natural oil finish

naturaLin *plus* is a natural wood protector based on select natural oils and mineral ingredients. Ideal for anyone who likes an expressive and very natural looking parquet floor.

Basic cleaning

Add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Regular cleaning

Damp-mop the floor regularly with clean & green natural parquet cleaner depending on how dirty the floor is and the amount of wear and tear. For this, add 1/2 dose of clean & green natural parquet cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and go over the surface with the damp mop.

For details see pages 6-7



Initial treatment (optional) and intensive care without using a floor polishing machine

Initial treatment can be performed optionally after the floor is installed. As with the intensive care of oiled surfaces exposed to wear and tear, you should also use clean & green aqua oil in this case: Apply the undiluted aqua oil evenly with the "Wischwiesel" flat wet-mop. Always go with the direction of the wood grain and work in parallel overlapping passes. Application recommended once a year or when the surface shows signs of wear and tear¹.

For details see page 8



Initial treatment and intensive care using a floor polishing machine

For initial treatment and intensive care with naturaLin Oil carried out with professional assistance. As an alternative to treatment using clean & green aqua oil, Initial treatment and/or intensive care can also be carried out with professional assistance.

For details see page 10



¹ Changes in gloss level may occur

CARE OF HARO PARQUET NATURA**DUR** SURFACE FINISH



The the natural matt surface finish

naturaDur surface treatment combines the natural look of an oiled parquet floor with the protection and ease of care of a sealed surface.

Basic cleaning

To remove ingrained dirt, add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Regular cleaning

For added protection of the floor surface, damp-mop the floor regularly with clean & green natural parquet cleaner depending on how dirty the floor is and the amount of wear and tear. For this, add 1/2 dose of clean & green natural parquet cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Intensive care

To optically refresh the floor, improve durability and moisture protection for sealed and coated surfaces, we recommend the floor care clean & green aqua shield. Apply undiluted with the "Wischwiesel" flat wet-mop. Evenly apply the clean & green aqua shield in overlapping lines with the Wischwiesel ¹.

For details see page 9



¹ Changes in gloss level may occur

CARE OF PARKETTMANUFAKTUR BY HARO



Valuable oleovera natural oil finish

All parkettmanufaktur by HARO floors are treated by hand with valuable oleovera natural oil. The wood therefore preserves its natural character.

Basic cleaning

Add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Regular cleaning

Damp-mop the floor regularly with clean & green natural parquet cleaner depending on how dirty the floor is and the amount of wear and tear. For this, add 1/2 dose of clean & green natural parquet cleaner to 5 litres (1.3 gal.) of cold water.

Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Initial treatment and intensive care without using a floor polishing machine

Initial treatment must be performed after the floor is installed. Use clean & green aqua oil for this purpose. Apply the undiluted aqua oil evenly with the "Wischwiesel" lat wet-mop. Always go with the direction of the wood grain and work in parallel overlapping passes. Application recommended once a year or when the surface shows signs of wear and tear ¹.

For details see page 8



Initial treatment and intensive care using a floor polishing machine


For initial treatment and intensive care with naturalIn Oil carried out with professional assistance. As an alternative to treatment using clean & green aqua oil, initial treatment and/or intensive care can also be carried out with professional assistance.

For details see page 10



¹ Changes in gloss level may occur

CARE OF HARO SPA PARQUET FOR A WELLNESS OASIS IN THE BATHROOM



The special natural oil finish for bathrooms

HARO Spa is the special parquet for barefoot areas: four wood types (Oak, Smoked Oak, African Oak and Merbau) provide enhanced moisture resistance due to their low shrinkage and swelling potential.

This floor is installed by professional installers and receives a final coat of the specially formulated Spa Oil natura on-site to optimally protect the floor for use in bathrooms.

Initial treatment

Apply two coats of clean & green aqua oil as described on page 8. Please observe the drying time.

For details see page 8



Basic cleaning

Add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Regular cleaning

Damp-mop the floor regularly with clean & green natural parquet cleaner depending on how dirty the floor is and the amount of wear and tear.

For details see pages 6-7



Intensive care

Apply two coats of clean & green aqua oil as described on page 8. Please observe the drying time ¹.

For details see page 8



¹ Changes in gloss level may occur

CARE OF CELENIO BY HARO



The unique wood floor

Wood at its most innovative: Celenio's surface textures with stone and slate effects open up new design possibilities. The wood floor combines a luxurious, extravagant look with a warm, comfortable feel.



Basic cleaning

Add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Regular cleaning

Damp-mop the floor regularly with clean & green natural parquet cleaner depending on how dirty the floor is and the amount of wear and tear. For this, add 1/2 dose of clean & green natural parquet cleaner to 5 litres (1.3 gal.) of cold water.

Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Intensive care

To optically refresh the floor, improve durability and moisture protection for sealed and coated surfaces, we recommend the floor care clean & green aqua shield.

Apply undiluted with the "Wischwiesel" flat wet-mop. Evenly apply the clean & green aqua shield in overlapping lines with the Wischwiesel ¹.

For details see page 9



¹ Changes in gloss level may occur

CARE OF HARO LAMINATE FLOORS



The most beautiful wood styles from the parquet specialist – durable and easy to maintain

HARO Laminate Floors are almost indistinguishable at first glance from a real wood floor. They are easy to install, durable and particularly resistant. Allergy sufferers can take a deep breath now: house dust mites and their ilk do not stand a chance here.

Basic cleaning, regular cleaning

Add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Intensive care


To optically refresh the floor, improve durability and moisture protection for sealed and coated surfaces, we recommend the floor care clean & green aqua shield. Apply undiluted with the "Wischwiesel" flat wet-mop. Evenly apply the clean & green aqua shield in overlapping lines with the Wischwiesel ¹.

For details see page 9



¹ Changes in gloss level may occur

CARE OF DISANO BY HARO



The healthy living design floor

DISANO is the intelligent combination of innovative materials. This HARO floor offers the positive performance characteristics of vinyl flooring, while meeting the requirements of ecology and healthy living.



Basic cleaning

Add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Regular cleaning

Damp-mop the floor regularly with clean & green natural parquet cleaner depending on how dirty the floor is and the amount of wear and tear. For this, add 1/2 dose of clean & green natural parquet cleaner to 5 litres (1.3 gal.) of cold water.

Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.

For details see pages 6-7



Intensive care

To optically refresh the floor, improve durability and moisture protection for sealed and coated surfaces, we recommend the floor care clean & green aqua shield.

Apply undiluted with the "Wischwiesel" flat wet-mop. Evenly apply the clean & green aqua shield in overlapping lines with the Wischwiesel ¹.

For details see page 9



¹ Changes in gloss level may occur

CARE OF HARO CORK FLOORS



With natural matt permaDur finish – naturally comfortable

By choosing a HARO Cork Floor with the natural matt permaDur finish, you have chosen a very durable and easy to maintain cork floor.

Basic cleaning

Add 1/2 dose of clean & green active intensive cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.
For details see pages 6-7



Regular cleaning

Damp-mop the floor regularly with clean & green natural parquet cleaner depending on how dirty the floor is and the amount of wear and tear. For this, add 1/2 dose of clean & green natural parquet cleaner to 5 litres (1.3 gal.) of cold water. Dip in the mop head, wring it out thoroughly and wipe the surface with the damp cloth.
For details see pages 6-7



Intensive care

To optically refresh the floor, improve durability and moisture protection for sealed and coated surfaces, we recommend the floor care clean & green aqua shield. Apply undiluted with the "Wischwiesel" flat wet-mop. Evenly apply the clean & green aqua shield in overlapping lines with the Wischwiesel ¹.
For details see page 9



¹ Changes in gloss level may occur



HARO Parquet 4000 Plank 1-Strip 2V Oak Sand White Sauvage brushed naturaDur

Hamberger Flooring GmbH & Co. KG
P.O. Box 10 03 53
83003 Rosenheim
Germany

Phone +49 80 31 / 700 0
Fax +49 80 31 / 700 600

E-mail info@haro.com
www.haro.com

For detailed information on using our cleaning and care products,
check out our video at www.haro.com/info/youtube/